## **SKY210**



### Active 2x10" neodymium Loudspeaker.

SKY210 is a point source active loudspeaker. The maximum SPL of 134dB (half-space) makes this mid-size loudspeaker the solution for mid-size events, when a Club or a small theatre needs a very efficient, clear and powerful sound reinforcement system. SKY210 is equipped with a coaxial neodymium 10" speaker (with 2.5" HF driver) and a 10" neodymium woofer. Frequency range is 65Hz-18KHz (-3dB). The coverage is 80° H=V.

The A/D converter is 24bit 96KHz feeding the DSP which works in a 32bit floating point architecture. Tuning of the system is made using new Hybrid biquads and FIR linear filters. The system is a 2.5-way topology with a Class-D amplifier offering 2400W RMS. In the rear panel there are Power inlet and outlet, Combo XLR IN and XLR OUT and a Pushbutton for recalling 5 factory presets.



#### APPLICATIONS

- Theatre
- Touring
- Rental
- Medium Venues
- System Integration

## **KEY FEATURES**

- 10" neodymium coaxial speaker with 2.5" HF driver + 1x10" neodymium woofer
- Frequency response 65Hz-18KHz
- 80° conical coverage
- SPL Max (half space): 134dB
- Proprietary DSP (96kHz 24bit floating point) Hybrid BIQUADS-FIR tuning
- Class-D Power amp 2400W
- 5 presets: Natural-Speech-Wall-Dual-HP
- Birch Plywood Enclosure RAL 7021 IP55 coating

# **SKY210**



Acoustic

Freq.Resp. (-3dB) 65Hz - 18Khz Max SPL (half space) 134dB Coverage 80° H=V LF Topology Reflex

**Speakers** 

Main Speaker Coaxial neodymium LF 10" (Coil 2.5") + HF 2.5"

Aux Speakers 1 x 10" Neodymium Woofer

**Amplifier** 

Power Class-D 2400W RMS

Amp. Protections Thermal - Short Circuit - Overload

**DSP** 

Proprietary DSP 24bit 96Khz - Biquads & FIR Filters - Pk limiter

Preset selection Natural - Speech - Wall - Double - HP

**Connections** 

Pwr Supply Conn. AC 100-240V 50/60Hz - Powercon True1 & Loop

Input connection 1 x Analog XLR Combo input

Output connection 1 x Analog XLR output (input loop)

**Power consumption** 

Idle Power<15 Watts</th>Nominal Power (1/4 Load)700WMaximum Power2500W

Rated Fuse T10A (230Vac)

Cabinet

Cabinet & Paint Birch Plywood - RAL 7021 IP55
Grill Steel 15/10 Black Powder Coating

Handles 1 Top handle
Pole mounting 35mm
Rigging 8 x M8

**Dimensions** 

 Width
 280mm / 11.02 "


 Height
 630mm / 24.8 "

 Depth
 400mm / 15.75 "

**Weight** 26.5 Kg / 58.42 lbs

# **SKY210**





Music Technology Srl via Enzo Ferrari, 4/A - 60022 Castelfidardo (AN) - P.Iva 02734110428

m3sound.com - info@m3sound.com